

LUC-313/Dianda 12

**CLAIM AMENDMENTS**

1       1. (Currently amended) A method comprising the steps of:  
2             setting up a call on a first communication path, via an asynchronous transfer  
3       mode (ATM) network, between a first communication device and a second  
4       communication device;

5             establishing a second communication path from the ATM network to a law  
6       enforcement agency, which the second communication path comprises audio sourced  
7       by the first communication device on the first communication path;

8             establishing a third communication path from the ATM network to the law  
9       enforcement agency, which the third communication path comprises audio sourced by  
10      the second communication device on the first communication path;

11           wherein the audio sourced by the first communication device and the audio  
12       sourced by the second communication device are replicated by an ATM switch in the  
13      ATM network, and

14           wherein when the call is placed on hold by the first communication device,  
15       disengaging the law enforcement agency from the third communication path.

1       2. (Currently amended)   The method of claim 1, wherein the step of setting up  
2       further comprises the step of instructing the ATM switch to replicate the audio sourced  
3       on the first path.

1       3. (Original) The method of claim 1, wherein the second communication path  
2       and the third communication path are unidirectional paths sourced by the ATM switch.

1       4. (Original) The method of claim 1, wherein the steps of establishing are

LUC-313/Dianda 12

2 performed unobtrusively to the first communication path.

1       5. (Original) The method of claim 1, further comprising the step of sending the  
2 audio replicated by the ATM switch to a second law enforcement agency.

1       6. (Original) The method of claim 1, further comprising the step of tearing down  
2 a path between the ATM network and a first access gateway that serves the first  
3 communication device once the second communication path and the third  
4 communication path are established.

1       7. (Original) The method of claim 1, further comprising the step of, when the call  
2 is placed on hold by the first communication device, disengaging the law enforcement  
3 agency from the third communication path by an instruction sent from a first access  
4 gateway to the ATM switch.

1       8. (Canceled)

1       9. (Currently amended) The method of claim [[8]] 1, further comprising the step  
2 of, when the call is retrieved from hold by the first communication device, re-engaging  
3 the law enforcement agency from the third communication path by an instruction sent  
4 from a first access gateway to the ATM switch.

1       10. (Currently amended) The method of claim [[8]] 1, further comprising the  
2 steps of, when the first communication device places a call to a third communication  
3 device:

4           setting up a fourth communication path, via the ATM network, between the first  
5 communication device and the third communication device;

LUC-313/Dianda 12

6 establishing a fifth communication path from the ATM network to a law  
7 enforcement agency, which the fifth communication path comprises audio sourced by  
8 the first communication device on the fourth communication path;

9 establishing a sixth communication path from the ATM network to the law  
10 enforcement agency, which the sixth communication path comprises audio sourced by  
11 the third communication device on the fourth communication path;

12 wherein the audio sourced by the first communication device and the audio  
13 sourced by the third communication device are replicated by a second ATM switch in  
14 the ATM network.

1 11. (Currently amended) A method comprising the steps of:

2 setting up a first call, via an asynchronous transfer mode (ATM) network,  
3 between a first communication device and a second communication device;

4 establishing a first communication path from the ATM network to a law  
5 enforcement agency, which the first communication path comprises audio sourced by  
6 the first communication device during the call;

7 establishing a second communication path from the ATM network to the law  
8 enforcement agency, which the second communication path comprises audio sourced  
9 by the second communication device during the call;

10 when the first call is placed on hold by the first communication device and the  
11 first communication device places a second call to a third communication device,  
12 performing the steps of:

13 setting up the second call, via the ATM network, between the first communication  
14 device and the third communication device;

LUC-313/Dianda 12

15 establishing a third communication path from the ATM network to the law  
16 enforcement agency, ~~which~~ the third communication path comprises audio sourced by  
17 the first communication device during the second call;

18 establishing a fourth communication path from the ATM network to the law  
19 enforcement agency, ~~which~~ the fourth communication path comprises audio sourced by  
20 the third communication device during the call;

21 wherein the audio sourced by the first communication device, the second  
22 communication device, and the third communication device is replicated by one or more  
23 ATM switches.

1 12. (Currently amended) The method of claim 11, wherein the step of setting  
2 up further comprises the step of instructing the ATM switch to replicate the audio  
3 sourced on the first path.

1 13. (Original) The method of claim 11, further comprising the step of sending the  
2 audio replicated by the ATM switch to a second law enforcement agency.

1 14. (Original) The method of claim 11, further comprising the step of, when the  
2 first call is placed on hold by the first communication device, disengaging the law  
3 enforcement agency from the second communication path.

1 15. (Original) The method of claim 11, wherein the first communication path, the  
2 second communication path, the third communication path, and the fourth  
3 communication path are unidirectional communication paths.

1 16. (Currently amended) An access gateway comprising a processor arranged

LUC-313/Dianda 12

2 and constructed to set up a call path between at least two communication devices,  
3 including a first communication device and a second communication device, via one or  
4 more asynchronous transfer mode (ATM) switches and to instruct one of the one or  
5 more ATM switches to replicate audio sourced by at least one of the at least two  
6 communication devices and to route the replicated audio to at least one law  
7 enforcement agency, and when the call is placed on hold by the first communication  
8 device, the access gateway discontinues sending replicated audio to the law  
9 enforcement agency.

1       17. (Original) The access gateway of claim 16, wherein the processor is further  
2 arranged and constructed to establish at least one unidirectional path to the at least one  
3 law enforcement agency.

1       18. (Original) The access gateway of claim 16, wherein the processor is further  
2 arranged and constructed to tear down at least a part of the call path once replicated  
3 audio is routed to the at least one law enforcement agency.

1       19. (Canceled)

1       20. (Original) The access gateway of claim 16, wherein the processor is further  
2 arranged and constructed to establish a call between the first communication device  
3 and a third communication device via the one or more ATM switches and to instruct one  
4 of the one or more ATM switches to replicate audio sourced by at least one of the at  
5 least two communication devices, including the third communication device, and to  
6 route the replicated audio to at least one law enforcement agency.